



YOU'LL NEVER BE BETTER PROTECTED

# Safety Components Guide



- DURABLE GALVANIZED FINISH
- INDEPENDENTLY TESTED, MEETS OR EXCEEDS SAFETY STANDARDS
- NO WELDING, BENDING, OR THREADING OF PIPE
- UNLIMITED NUMBER OF APPLICATIONS



CSI 05520  
February 2010



## Specifying Kee Klamp Components

Each component has a numerical code reference which defines the type of component and the pipe sizes, or sizes, it is designed to receive. The first number, preceding the dash (-) identifies the type of KEE KLAMP component. A single digit, following dash, defines the pipe size. Two single digits after dash indicate that the component is designed to receive two sizes of pipe. The KEE KLAMP pipe chart is located to the right.

pipe reference	component inner dia (in.)	nominal bore (in.)	pipe outer dia (in.)	tube outer dia (in.)
2	0.59	0.25	.54	0.531
3	0.76	0.375	.68	0.688
4	0.87	0.5	.84	0.844
5	1.09	0.75	1.05	1
6	1.38	1	1.32	1.313
7	1.72	1.25	1.66	1.625
8	1.94	1.5	1.9	1.875
9	2.41	2	2.38	2.375

### A10 Split Tee



A10-7  
A10-8

### A12 45° Split Tee



A12-8

### A21 Split Corner Cross



A21-8

### A26 Split Cross



A26-8

### A35 Split Tee Crossover



A35-8

### A40 Split 4 Socket Cross



A40-8

### A45 Split Crossover



A45-7  
A45-8

### 10 Single Socket Tee



10-2 10-75  
10-3 10-76  
10-4 10-78  
10-5 10-8  
10-6 10-87  
10-65 10-9  
10-67 10-98  
10-7

### 12 45° Single Socket Tee



12-5 12-7  
12-6 12-8

### 14 Straight Coupling



14-5 14-7  
14-5 14-8  
14-6 14-9

### 15 90° Elbow



15-4 15-7  
15-5 15-8  
15-6 15-9

### 16 Clamp-On Tee



16-5 16-8  
16-6 16-9  
16-7

### 17 Clamp-On Crossover



17-5 17-8  
17-6 17-9  
17-7

### 18 Internal Coupling



18-6 18-8  
18-7

### 19 Adjustable Side Outlet Tee



19-5 19-8  
19-6 19-85  
19-7 19-9

### 20 Side Outlet Elbow



20-4 20-7  
20-5 20-8  
20-6 20-9

### 21 90° Side Outlet Tee



21-4 21-7  
21-5 21-8  
21-6 21-9

### 25 Three Socket Tee



25-4 25-7  
25-5 25-8  
25-6 25-9

### 26 Two Socket Cross



26-4 26-8  
26-5 26-87  
26-6 26-9  
26-7

### 27 0° - 49° Three Socket Custom Tee



27-6 27-8  
27-7

### 28 0° - 45° Three Socket Custom Cross



28-6 28-8  
28-7

### 29 30° - 60° Single Socket Tee



29-6 29-8  
29-7

### 30 30° - 45° Adjustable Cross



30-6 30-8  
30-7

### 35 Side Outlet Tee



35-4 35-7  
35-5 35-8  
35-6 35-9

### 40 Four Socket Cross



40-4 40-7  
40-5 40-8  
40-6 40-9

### 45 Crossover



45-2 45-76  
45-3 45-8  
45-4 45-86  
45-5 45-87  
45-6 45-9  
45-65 45-98  
45-6

### 145 Crossover Coupling



145-7

### 46 Combination Socket Tee & Crossover



46-4 46-7  
46-5 46-8  
46-6 46-9

### C50 Single Swivel Socket



C50-44 C50-77  
C50-55 C50-88  
C50-66 C50-99

### F50 Female Single Socket Member



F50-4 F50-7  
F50-5 F50-8  
F50-6 F50-9

### M50 Male Single Socket Member



M50-4 M50-7  
M50-5 M50-8  
M50-6 M50-9

### MH50 Male Single Horizontal Socket



MH50-6





**P50** Offset Single Tab Panel Fitting With Slot

P50-8



**P51** Offset Double Tab Panel Fitting with Slot

P51-8



**55** Split Tee

55-6 55-8  
55-7



**M58** Base Plate

M58-8



**62** Standard Railing Flange

62-2 62-7  
62-5 62-8  
62-6 62-9



**65** Standard Horizontal Railing Base

65-6



**68** Wall Flange

68-6 68-8  
68-7



**71** Weather Cap

71-6 71-8  
71-7



**77** Plastic Plug

77-4 77-7  
77-5 77-8  
77-6 77-9



**82** Double Sided Clip

82-5 82-8  
82-6 82-9  
82-7



**C51** Double Swivel Socket

C51-555 C51-888  
C51-666 C51-999  
C51-777



**C52** Corner Swivel Socket

C52-555 C52-777  
C52-666 C52-888



**56** Acute Angle Elbow

56-8



**59** Spigot Flange

59-5 59-8  
59-6 59-9  
59-7



**262** Round Base Flange

262-8



**265** Offset Railing Base

265-7  
265-8



**69** Base Flange & Kick Plate

69-7  
69-8



**72** Stair Tread Support

72-8



**78** Eye Fitting

78-5 78-7  
78-6 78-8



**83** Pin Fitting

83-5 83-7  
83-6 83-8



**M51** Male Double Swivel Socket Member

M51-5 M51-8  
M51-6 M51-9  
M51-7



**M52** Male Corner Swivel Socket Member

M52-5 M52-7  
M52-6 M52-8



**P57** Deck Bracket

P57-7  
P57-8



**60** Extra Heavy Flange

60-5 60-7  
60-6 60-8



**63** Angle Base Flange

63-6 63-8  
63-7



**66** Ground Socket

66-6 66-8  
66-7



**115** Horizontal Railing Base

115-6 115-8  
115-7



**75** Collar

75-4 75-7  
75-5 75-8  
75-6



**79** Sheetting Clip

79-7



**84** Malleable Plug

84-5 84-8  
84-6 84-9  
84-7



**MH51** Male Double Horizontal Socket

MH51-6



**BC53** Swivel Elbow

BC53-8



**C58** Swivel Flange

C58-5 C58-8  
C58-6 C58-9  
C58-7



**61** Flange

61-3 61-7  
61-4 61-8  
61-5 61-9  
61-6



**64** Standard Vertical Railing Base

64-6 64-8  
64-7



**67** Angle Flange

67-8



**70** Rail Support

70-5 70-7  
70-6 70-8



**76** Hook

76-5 76-7  
76-6 76-8



**81** Single Sided Clip

81-4 81-7  
81-5 81-8  
81-6 81-9



**86** Angle Tee

+/-11°

86-8



## options

### Pipe Choices

#### Galvanized Steel

Schedule 40 and Schedule 80; size 1/4" to 2" IPS; nominal mill lengths of 21' cut to your projects' exact length requirements

#### Powder Coating

Durable, corrosion preventing polyester coating applied to already galvanized/anodized products; available in any RAL color

#### Antimicrobial Coating

Defense against the growth of potentially harmful invisible bacteria and fungi; this powder coating can be applied in a wide range of RAL colors



### Toeboards

Our unique design does not require any drilling on site or in the shop. A slot on the back of the toeboard accepts a bolt head which prevents the bolt from spinning during assembly. Upright hardware and splice kits for corners and straight sections are also available. Toeboard comes in 24' lengths or can be custom cut.

### Grip Tape

Improves grip of existing handrail. Grip Tape has a glow-in-the-dark feature for added safety. Yellow and black coloring is also available.



### Hi-Traction Covers

Improves footing and helps to prevent slips and falls. Suitable for indoor and outdoor use. Variety of grip options, colors, sizes, and materials. Glow-in-the-dark and custom printing available.



### In-fill Panels

Panels come in a variety of materials, sizes, and finishes. The standard 4" x 4" welded wired mesh is available in sizes up to 4' wide by 8' long. Smaller openings are available (2" x 2" or 1" x 1"). Material can be provided with a galvanized or powder coat finish, or in bare stainless steel. Virtually any custom configuration or material option is available.

